

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	3751	(382/141-151,291).CCLS.	US- PGPUB; USPAT	2007/03/19 11:47	
2	IS&R	L2	992	(348/86,87,92,94,95,125).CC LS.	US- PGPUB; USPAT	2007/03/19 11:47	
3	BRS	L3	2898	(optical near5 (precision\$1 or correct\$3 or precis\$5)) same imag\$3 same (measur\$6 or inspect\$3 or test\$3)	US- PGPUB; USPAT	2007/03/19 11:51	
4	BRS	L4	660	3 same (contrast\$1 or brightness or illuminat\$4 or gradient\$1 or parameter\$1)	US- PGPUB; USPAT	2007/03/19 11:52	
5	BRS	L5	236	4 same (high\$3 or extrem\$3 or maxim\$3)	US- PGPUB; USPAT	2007/03/19 11:53	
6	BRS	L6	54	5 same (structur\$3 or edge\$1 or focus)	US- PGPUB; USPAT	2007/03/19 11:53	
7	BRS	L8	0	2 and 6	US- PGPUB; USPAT	2007/03/19 11:53	
8	BRS	L7	2	1 and 6	US- PGPUB; USPAT	2007/03/19 11:54	

## Refine Search

### Search Results -

Terms	Documents
L22 same (parameter or contrast or brightness or illuminat\$4 or lumin\$6 or gradient)	8

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L23

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Monday, March 19, 2007    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=EPAB; PLUR=YES; OP=ADJ</i>		
<u>L1</u>	ep001379835.pn.	0	<u>L1</u>
<u>L2</u>	edge site same (automatic adjust\$6 near2 focus)	1	<u>L2</u>
	<i>DB=USPT,EPAB; PLUR=YES; OP=ADJ</i>		
<u>L3</u>	((edge or focus or structur\$2) near3 site) same (precision near3 optical)	1	<u>L3</u>
<u>L4</u>	((edge or focus or structur\$2) near3 site) and (precision near3 optical)	29	<u>L4</u>
<u>L5</u>	L4 and (maxim\$3 or extrem\$3)	27	<u>L5</u>
<u>L6</u>	L5 and (illuminat\$4 or brightness)	4	<u>L6</u>
	<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>		
<u>L7</u>	optical near2 precision near2 measur\$6	459	<u>L7</u>
<u>L8</u>	L7 same control\$3	65	<u>L8</u>
<u>L9</u>	L8 same target\$2	13	<u>L9</u>
<u>L10</u>	L9 same (parameter or brightness or contrast or homogen\$5 or edge) control\$3 same (contrast or illuminat\$4 or brightness or contrast) same	5	<u>L10</u>

<u>L11</u>	(precision near3 optical)	99	<u>L11</u>
<u>L12</u>	L11 and (edge or structure or focus\$3)	68	<u>L12</u>
<u>L13</u>	L12 and imag\$3	43	<u>L13</u>
<u>L14</u>	L13 and control\$4	43	<u>L14</u>
<u>L15</u>	L14 and dependenc\$3	5	<u>L15</u>
<u>L16</u>	(optical near2 precision) same (contrast or parameter or edge or structural or focus\$3 or ancillary or auxillary) same (minim\$3 or maxim\$3 or extrem\$3)	102	<u>L16</u>
<u>L17</u>	L16 same influenc\$3	6	<u>L17</u>
<u>L18</u>	(optim\$6 near5 quantit\$3) same (optical near3 precision)	1	<u>L18</u>
<u>L19</u>	(optical near3 precision near4 (measur\$5 or test\$3 or inspect\$4))	951	<u>L19</u>
<u>L20</u>	L19 same (ic or workpiece or semiconduct\$3 or wafer or board)	115	<u>L20</u>
<u>L21</u>	L20 same imag\$3	19	<u>L21</u>
<u>L22</u>	(optical near3 precision near4 (measur\$5 or test\$3 or inspect\$4)) same camera	42	<u>L22</u>
<u>L23</u>	L22 same (parameter or contrast or brightness or illuminat\$4 or lumin\$6 or gradient)	8	<u>L23</u>

END OF SEARCH HISTORY